

Uppgiftslämnaren reserverar sig för eventuella fel i produktinformationen eller felaktigt registrerade uppgifter och förbehåller sig rätten att korrigera och/eller komplettera produktinformation utan föregående avisering

## 1

## GRUNDDATA

## Varubeskrivning

Monteringsfärdigt kanaländstycke, bestående av en sidovägg och en höjjusterbar sidoprofil för universell montering till vänster eller höger.

## Övriga upplysningar

## Klassificeringar

|          |                                   |
|----------|-----------------------------------|
| ETIM ›   | -EC001901 - Öppen undergolvskanal |
| BK04 ›   |                                   |
| BSAB ›   |                                   |
| UNSPSC › |                                   |

## Leverantörsuppgifter

## Företagsnamn

OBO Bettermann AB

## Organisationsnummer

5566815519

## Adress

## Hemsida

www.obobettermann.se

Miljökontaktperson

## Namn

Helen Holmström

## Telefon

042-3888204

## E-post

holmstrom.helen@obobettermann.se

## 2

## HÅLLBARHETSARBETE

## Företagets certifiering

- ISO 9000
- ISO 14000

## INNEHÅLLSDEKLARATION

|  |        |
|--|--------|
| Kemisk produkt   | Nej    |
| Omfattas varan av RoHS-direktivet  | Nej    |
| Innehåller produkten tillsatt nanomaterial, som är medvetet tillsatta för att uppnå en viss funktion | Vet ej |
| Varans vikt  | 0,529  |

### Vara / Delkomponenter

Koncentrationen har beräknats på hela varan

| Ingående material /komponenter | Vikt-% i komponent | CAS-nr (alt legering) | EG-nr (alt legering) | Vikt % i produkt | Kommentar                      |
|--------------------------------|--------------------|-----------------------|----------------------|------------------|--------------------------------|
| Galvaniserat stål (Förzinkat)  |                    | Övrigt, metaller      |                      | 3%               | skruv och mutter               |
| AlMg3                          |                    | Övrigt, metaller      |                      | 14,5%            | täckplåt botten för ändstycken |
| Varmförzinkat stål             |                    | Övrigt, metaller      |                      | 82,5%            | Ändplåt                        |

Del av materialinnehållet som är deklarerat

### Särskilt farliga ämnen

Varan innehåller INTE några ämnen med särskilt farliga egenskaper (Substances of very high concern, SVHC-ämnen) som finns med på kandidatförteckningen i en koncentration som överstiger 0,1 vikts-%

Utgåva av kandidatförteckningen som har använts

2020-04-02 00:00:00

### Övrigt

Ämnen är redovisade ned till 0.01 viktprocent enligt iBVDs redovisningskrav. Eventuell avvikelse från redovisningskraven redovisas nedan

## 4 RÅVAROR

### Återvunnet material

Innehåller varan återvunnet material: Nej

### Träråvara

Träråvara ingår i varan: Nej

## 5 MILJÖPÅVERKAN

Finns en miljövarudeklaration framtagen enligt EN15804 eller ISO14025 för varan

Nej

Finns annan miljövarudeklaration

Nej

## 6 DISTRIBUTION

Beskrivning av emballagehantering för distribution av varan

Levereras styckvis i påse, kartongvis i kartong (återvinningsbar) och på pall - som går i retursystem.

## 7 BYGGSCKEDET

Ställer varan särskilda krav vid lagring?

Nej

Ställer varan särskilda krav på omgivande byggvaror?

Nej

## 8 BRUKSSKEDET

Finns skötselansvisningar/skötselråd?

Nej

Finns en energimärkning enligt energimärkningsdirektivet (2010/30/EU) för varan?

Ej relevant

## 9 RIVNING

Kräver varan särskilda åtgärder för skydd av hälsa och miljö vid rivning/demontering?

Nej

|  |            |
|--|------------|
| <b>Omfattas den levererade varan av förordningen (2014:1075) om producentansvar för elektriska och elektroniska produkter när den blir avfall?</b> | Nej        |
| <b>Är återanvändning möjlig för hela eller delar av varan?</b>   | Ja         |
| plåt/plåt  |            |
| <b>Är materialåtervinning möjlig för hela eller delar av varan?</b>  | Ja         |
| plåt /plåt   |            |
| <b>Är energiåtervinning möjlig för hela eller delar av varan?</b>  | Ej angivet |
| <b>Har leverantören restriktioner och rekommendationer för återanvändning, material- eller energiåtervinning eller deponering?</b>                 | Nej        |
| <b>När den levererade varan blir avfall, klassas den då som farligt avfall?</b>  | Nej        |
| <b>Avfallskod (EWC) för den levererade varan</b>   | 170405     |

| E-nummer  | Leverantörens artikelnummer | GTIN          |
|-----------|-----------------------------|---------------|
| 11 811 63 | 7403820                     | 4012195699569 |

**Produktdatablad** UFS-OKB\_ES\_25085-AA-7403820-en.pdf

**Prestandadeklaration**

**Säkerhetsblad**

**Miljövarudeklaration**

**Skötselansvisning**

**Övriga bifogade dokument**

-iBVD Declaration - 7403820.pdf


# Technical data sheet

## Trunking end piece

Art.-Nr. 7403820



e-nr 1181163




Ready-to-mount duct end connection, consisting of a side wall and a height-adjustable side profile for universal installation on left or right.

|           |                  |
|-----------|------------------|
| <b>St</b> | Steel            |
| <b>FS</b> | Strip-galvanised |

### Master data

|                  |                   |
|------------------|-------------------|
| Item No.         | 7403820           |
| Type             | OKB ES 25085      |
| Description 1    | End cover         |
| Description 2    | for OKB           |
| Material         | Steel             |
| Material symbol  | St                |
| Surface finish   | Strip-galvanised  |
| Interface to DIN | DIN EN 10346      |
| Interface symbol | FS                |
| Weight           | 52,85 kg/100 pcs. |

### Technical specifications



|   |                                     |
|---|-------------------------------------|
| Width   | 250,00 mm                           |
| Height  | 93,00 mm                            |
| Mounting opening cover                            | <input checked="" type="checkbox"/> |
| Floor plate                                       | <input checked="" type="checkbox"/> |
| Floor care  | Dry                                 |
| Seal installation option                          | <input checked="" type="checkbox"/> |
| Cover fastening, locking                          | <input checked="" type="checkbox"/> |
| Installation opening for on-floor tank            | <input checked="" type="checkbox"/> |
| Decouplable                                       | <input checked="" type="checkbox"/> |
| Function  | Branch                              |
| Suitable for expansion joint                      | <input checked="" type="checkbox"/> |
| Suitable for screed-flush closed underfloor ducts | <input checked="" type="checkbox"/> |
| Suitable for flushfloor, open underfloor duct     | <input checked="" type="checkbox"/> |
| Suitable for screed-covered underfloor ducts      | <input checked="" type="checkbox"/> |
| Trunking height                                   | 85,00 - 125,00 mm                   |
| Minimum screed height                             | 85,00                               |
| With overhang                                     | <input checked="" type="checkbox"/> |
| With separating retainer                          | <input checked="" type="checkbox"/> |
| With connection opening                           | <input checked="" type="checkbox"/> |
| With equipotential bonding                        | <input checked="" type="checkbox"/> |
| Mounting opening                                  | Without                             |
| Height-adjustment range                           | 0,00 mm                             |


# Technical data sheet

## Trunking end piece

Art.-Nr. 7403820



### Technical specifications



|                               |                                     |
|-------------------------------|-------------------------------------|
| Removable cover               | <input checked="" type="checkbox"/> |
| Separating retainer fastening | Plug                                |



# SundaHus declaration template for assessment of products

## Document Information

|                            |            |
|----------------------------|------------|
| Date published (YY-MM-DD): | 2020-04-01 |
| Date revised (YY-MM-DD)    |            |

## 1. Company Information

|                 |  |
|-----------------|--|
| Company name:   | OBO Bettermann Holding GmbH & Co. KG                               |
| Org. number:    |  |
| VAT-number:     | 328/5753/0331  |
| Address:        | Hüingser Ring 52<br>Germany – 58710 Menden                         |
| Contact person: | Director of Product Management & R+D<br>Mr. Michael Schmidt        |
| Mail address:   | <a href="mailto:schmidt.michael@obo.de">schmidt.michael@obo.de</a> |
| Website:        | <a href="http://www.obo.de">www.obo.de</a>                         |

## 2. Product Information

|   |  |                              |                             |
|---|--|------------------------------|-----------------------------|
| Product name:   | <b>7403820</b><br><b>Kanaländstycke OKB</b>  |                              |                             |
| BSAB-code:  |  |                              |                             |
| BK04-number:  |  |                              |                             |
| Product description:                                      | Monteringsfärdig kanaländförslutning, bestående av en sidovägg och en höjjusterbar sidoprofil för universell montering till vänster eller höger. |                              |                             |
| Is there a Material Safety Data Sheet for this product?   | <input checked="" type="checkbox"/> Not relevant   | <input type="checkbox"/> Yes | <input type="checkbox"/> No |
| If <b>Yes</b> , provide classification and labelling CLP. | Classification:  |                              |                             |
|   | Labelling:   |                              |                             |

### 3. Contents

At the time of delivery, the product comprises the following parts/components, with the chemical composition stated:

| Constituents material/components  | Constituents substances | Weight-% or g | EG-no/CAS-no (or alloy)      | Classification                         | Comment |
|---|-------------------------|---------------|------------------------------|--|---------|
| 7403820T1 – Trunking end piece for OKB  | DX51D+Z275 Mild Steel   | 439 g         |                              |  |         |
| 39411860 – Floor covering contact plate for OKB end piece                             | ALMG3 - F23             | 77 g          |                              |  |         |
| 39409373 - PEM press-in threaded bolt FH-M5-12  | Galvanized Steel        | 8 g           |                              |  |         |
| 35011908 - Hexagon nut with flange similar to DIN 6923 M5                             | Galvanized Steel        | 8 g           |                              |  |         |
|   |                         |               |                              |  |         |
|   |                         |               |                              |  |         |
|   |                         |               |                              |  |         |
|   |                         |               |                              |  |         |
| Product's total weight (include unit):  |                         |               | 532 g                        |  |         |
| Percentage of product contents declared:  |                         |               | 100 %                        |  |         |
| If relevant, declare the total amount of volatile organic compounds (VOC) in g/litre: |                         |               | not relevant                 |  |         |
| Are nanoparticles used in the product to achieve any specific function?               |                         |               | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No |         |
| If <b>yes</b> , which substance/material?   |                         |               |                              |  |         |

| Does the product, or any of its components, contain Substances of Very High Concern (SVHC-Substances) included in the ECHA's Candidate List in a concentration of 0.1 % or more by weight? If <b>yes</b> , please fill in table below. | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No |                          |                |         |
|--|------------------------------|--|--------------------------|----------------|---------|
| Component  | Substance                    | Weight-% or g                          | EG-no/CAS-no (alt Alloy) | Classification | Comment |
|  |                              |  |                          |                |         |
|  |                              |  |                          |                |         |
|  |                              |  |                          |                |         |

|  |  |  |  |  |  |
|--|--|--|--|--|--|
|  |  |  |  |  |  |
|--|--|--|--|--|--|

#### 4. Recycled Materials

| Constituent material/component  | Weight-% or g | Percentage (%) Pre-consumer | Percentage (%) Post-consumer | EG-no/CAS-no (alt alloy)     | Comment                                |
|---|---------------|-----------------------------|------------------------------|------------------------------|--|
|   |               |                             |                              |                              |  |
|   |               |                             |                              |                              |  |
|   |               |                             |                              |                              |  |
|   |               |                             |                              |                              |  |
| Are the raw materials third-party certified for control of origin, raw material extraction, manufacturing or recycling processes or similar? (For example, BES 6001:2008, EMS certificate, USGBC Program) |               |                             |                              | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No |
| If <b>Yes</b> , declare which system/systems  |               |                             |                              |                              |  |

#### 5. Energy and Environment

|   |                                       |                              |  |
|---|---------------------------------------|------------------------------|--|
| Does the product contain wood, is it certified?                             | <input type="checkbox"/> Not relevant | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No |
| What certification system is used? (example FSC, CSA, SFI med CoC, PEFC)    |                                       |                              |  |
| Reference number:   |                                       |                              |  |
| If it is not certified, in which country is the wood harvested?             |                                       |                              |  |
| Energy label:   |                                       |                              |  |
| Environment labels ( <i>Svanen, Floor Score, C2C, LEED Compliant etc.</i> ) |                                       |                              |  |

#### 6. Distribution

|  |  |   |  |
|--|--|---|--|
| Does the supplier use <a href="#">Retursystem Byggpal!</a> ?                       | <input type="checkbox"/> Not relevant            | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No            |
| Does the supplier apply any system with multiple-use packaging for the article?    | <input type="checkbox"/> Not relevant            | <input type="checkbox"/> Yes            | <input checked="" type="checkbox"/> No |
| Does the supplier take back packaging for the product?                             | <input type="checkbox"/> Not relevant            | <input type="checkbox"/> Yes            | <input checked="" type="checkbox"/> No |
| Is the supplier affiliated with a system for product responsibility for packaging? | <input checked="" type="checkbox"/> Not relevant | <input type="checkbox"/> Yes            | <input type="checkbox"/> No            |

|                               |  |
|-------------------------------|--|
| If <b>Yes</b> , which system? |  |
|-------------------------------|--|

### 7. Construction Phase

|  |  |                              |                             |                    |  |
|--|--|------------------------------|-----------------------------|--------------------|--|
| Are there any special requirements for the product during storage?                         | <input checked="" type="checkbox"/> Not relevant | <input type="checkbox"/> Yes | <input type="checkbox"/> No | If "Yes", specify: |  |
| Are there any special requirements for adjacent building products because of this product? | <input checked="" type="checkbox"/> Not relevant | <input type="checkbox"/> Yes | <input type="checkbox"/> No | If "Yes", specify: |  |
| Other information  |  |                              |                             |                    |  |

### 8. Usage Phase

|  |  |                                   |                                   |  |                                     |          |
|--|--|-----------------------------------|-----------------------------------|--|-------------------------------------|----------|
| Does the product have any requirements for operation and maintenance?  | <input checked="" type="checkbox"/> Not relevant | <input type="checkbox"/> Yes      | <input type="checkbox"/> No       | If "Yes", specify:                           |                                     |          |
| Does the product have any requirements for power supply for operation? | <input checked="" type="checkbox"/> Not relevant | <input type="checkbox"/> Yes      | <input type="checkbox"/> No       | If "Yes", specify:                           |                                     |          |
| The technical service life is estimated to being approximately         | <input type="checkbox"/> 5 years                 | <input type="checkbox"/> 10 years | <input type="checkbox"/> 15 years | <input checked="" type="checkbox"/> 25 years | <input type="checkbox"/> > 50 years | Comment: |
|  |  |                                   |                                   |  |                                     |          |

### 9. Demolition

|  |  |                              |                             |                    |  |
|--|--|------------------------------|-----------------------------|--------------------|--|
| Is the product ready for disassembly (dismantling)?  | <input checked="" type="checkbox"/> Not relevant | <input type="checkbox"/> Yes | <input type="checkbox"/> No | If "Yes", specify: |  |
| Does the product require any special measures to protect health and environment during demolition/disassembly? | <input checked="" type="checkbox"/> Not relevant | <input type="checkbox"/> Yes | <input type="checkbox"/> No | If "Yes", specify: |  |
| Other information:   |  |                              |                             |                    |  |

**10.Waste Management**

|   |  |   |  |                    |
|---|--|---|--|--------------------|
| Is it possible to re-use all or parts of the product?   | <input type="checkbox"/> Not relevant            | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No            | If "Yes", specify: |
| Is it possible to recycle materials for all or parts of the product?  | <input type="checkbox"/> Not relevant            | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No            | If "Yes", specify: |
| Is it possible to recycle energy for all or parts of the product?   | <input type="checkbox"/> Not relevant            | <input type="checkbox"/> Yes            | <input checked="" type="checkbox"/> No | If "Yes", specify: |
| Does the supplier have any restrictions and recommendations for the re-use, materials or energy recycling or landfilling?   | <input checked="" type="checkbox"/> Not relevant | <input type="checkbox"/> Yes            | <input type="checkbox"/> No            | If "Yes", specify: |
| Indicate the waste code for the <b>supplied</b> product   |  |   |  |                    |
| Is the <b>supplied</b> product classified as hazardous waste?   | <input type="checkbox"/> Yes                     |   | <input checked="" type="checkbox"/> No |                    |
| If the chemical composition of the product differs after having been built in from that which it had at the time of delivery, meaning that another waste code is given to the finished <b>built in</b> product, then this should be entered here. If it is unchanged, the following details can be omitted. |  |   |  |                    |
| Indicate the waste code for the <b>built-in</b> product   |  |   |  |                    |
| Is the <b>built-in</b> product classified as hazardous waste?   | <input type="checkbox"/> Yes                     |   | <input checked="" type="checkbox"/> No |                    |
| Other information   |  |   |  |                    |

**11. Indoor Environment**

| Type off emissions  | Quantity<br>(include unit)   | Method of measurement  |  | Comments   |                             |
|---|------------------------------|--|--|--|-----------------------------|
|   |                              |  |  |  |                             |
|   |                              |  |  |  |                             |
|   |                              |  |  |  |                             |
|   |                              |  |  |  |                             |
|   |                              |  |  |  |                             |
|   |                              |  |  |  |                             |
| The product is not intended for indoor use <input type="checkbox"/> |                              | The product does not have any emissions <input type="checkbox"/> |  | The product's emissions have not been measured <input checked="" type="checkbox"/> |                             |
| The product is tested and qualify for these certifications          |                              |  |  |  |                             |
| <input type="checkbox"/> EC1+                                       | <input type="checkbox"/> EC1 | <input type="checkbox"/> M1                                      | <input type="checkbox"/> M2            | <input type="checkbox"/> agBB  | <input type="checkbox"/> E1 |
| Does the product have a critical moisture state?                    |                              | <input type="checkbox"/> Yes                                     | <input checked="" type="checkbox"/> No | If "Yes", specify:   |                             |